

TABLE OF CONTENTS

1	Executive Summary
2	LTE Introduction
2.1	History
2.2	Why LTE?
2.2.1	Problems
2.3	LTE Basics
2.4	The Name of the System
3	Physical Layer
3.1	General
3.2	OFDM
3.2.1	Problems with single carrier systems
3.2.2	Enter multicarrier systems
3.2.3	OFDM advantages
3.2.4	OFDM disadvantages
3.2.5	OFDM Summary
3.2.6	SC-FDMA
3.3	Multiple Antennas
3.4	Frame Structure
3.4.1	FDD Mode
3.4.2	TDD Mode
3.4.3	Resource Blocks
3.4.4	Reference Signals - Downlink
3.4.4.1	Cell specific reference signals
3.4.4.2	MBSFN reference signals
3.4.4.3	UE specific reference signals
3.4.5	Reference Signals - Uplink
3.4.6	Synchronisation Signals
3.5	Duplexing
3.6	Physical channels
3.7	Physical Layer Model
3.7.1	Physical Downlink Shared Channel (PDSCH)
3.7.1.1	CRC
3.7.1.2	Channel Coding
3.7.1.3	Channel Interleaving
3.7.1.4	Data modulation
3.7.1.5	Resource Mapping
3.7.2	Physical Uplink Shared Channel (PUSCH)
3.7.2.1	CRC
3.7.2.2	Channel Coding
3.7.2.3	Channel Interleaving
3.7.2.4	Data modulation
3.7.2.5	Resource Mapping
3.7.3	Other Physical Layer Channel Models
3.7.3.1	Physical Multicast Channel (PMCH)
3.7.3.2	Physical Downlink Control Channel (PDCCH)
3.7.3.3	Physical Broadcast Channel (PBCH)
3.8	Physical layer procedures
3.8.1	Cell Search
3.8.1.1	Symbol Timing Acquisition
3.8.1.2	Frame Timing Acquisition
3.8.1.3	Cell Id Detection
3.8.2	Random Access
3.8.3	Link Adaptation

- 3.8.4 HARQ
- 4 Protocol Architecture
 - 4.1 User plane
 - 4.2 Control plane
 - 4.3 Transport channels
 - 4.4 Logical Channels
 - 4.4.1 Control Channels
 - 4.4.2 Traffic Channels
 - 4.5 Mapping of Channels
 - 4.6 Layer 2
 - 4.6.1 MAC
 - 4.6.2 RLC
 - 4.6.3 PDCP
 - 4.7 Layer 3 - RRC
 - 4.7.1 RRC States
 - 4.7.2 RRC Services
 - 4.8 Procedures
 - 4.8.1 Attach
 - 4.8.1 Service Request
 - 4.8.1 Detach
 - 4.8.1 Handover
 - 4.8.2 Inter-System handovers
- 5 Other Technical Issues
 - 5.1 Security
 - 5.2 Specifications
 - 5.3 Spectrum
 - 5.3.1 LTE Spectrum Bands
 - 5.3.2 LTE Channel Bandwidths
 - 5.3.3 LTE Deployment Issues
 - 5.3.3.1 LTE Switchover
 - 5.3.3.2 Which Frequency to Deploy onto
 - 5.3.3.3 Below 1 GHz
 - 5.3.3.4 Over 2 GHz
 - 5.3.4 MIMO Receivers
 - 5.4 UE capabilities
 - 5.5 MBMS
 - 5.5.1 Single Cell Transmission
 - 5.5.2 Multi Cell Transmission
 - 5.5.3 MBMS-only Carriers
 - 5.5.4 Mixed MBMS-Unicast Carriers
 - 5.5.5 Other Cellular Broadcast Standards
- 6 The Future – LTE Advanced
 - 6.1 LTE Advanced Design Principles
 - 6.2 IMT Advanced Requirements
 - 6.2.1 Cell spectral efficiency
 - 6.2.2 Peak spectral efficiency
 - 6.2.3 Bandwidth
 - 6.2.4 Cell edge user spectral efficiency
 - 6.2.5 Latency
 - 6.2.5.1 Control plane latency
 - 6.2.5.2 User plane latency
 - 6.2.6 Mobility
 - 6.2.7 Handover Interruption Times
 - 6.2.8 VoIP Capacity
 - 6.3 Comparison to LTE requirements

- 6.4 LTE Advanced Spectrum Bands
- 6.5 Conclusions
- 7 Competition
 - 7.1 Threats and competition
 - 7.2 Internal Threats
 - 7.2.1 Will it be ready in time?
 - 7.2.2 Will it be able to fulfil the requirements?
 - 7.2.3 Is there a market for mobile broadband data?
 - 7.3 External Threats
 - 7.3.1 2G and 3G Mobile Phone Networks
 - 7.3.2 UMB
 - 7.3.3 WiMAX
 - 7.3.4 WiFi
 - 7.3.5 UMA
 - 7.3.6 802.20
 - 7.3.7 Mobile TV systems
 - 7.3.8 Conclusions
- 8 Services
 - 8.1 MBMS Services
 - 8.1.1 Introduction
 - 8.1.2 Applications
 - 8.1.3 Mobile TV
 - 8.1.4 Conclusions
 - 8.2 Voice-Over-IP
 - 8.3 Internet Access
 - 8.4 Device Vendor Portals
 - 8.5 Mobile gaming
 - 8.6 Mobile gambling
 - 8.6.1 Online Betting
 - 8.6.2 Online Poker
 - 8.6.3 Online Casinos
 - 8.6.4 Lotteries
 - 8.6.5 Problems
 - 8.7 M-Commerce
 - 8.8 Conclusion
- 9 Network Architecture
- 10 LTE Operators By Country
 - 10.1 Canada
 - 10.1.1 Bell Mobility and Telus Mobility
 - 10.1.2 Rogers Wireless
 - 10.2 China
 - 10.2.1 China Mobile
 - 10.2.2 China Unicom
 - 10.2.3 China Telecom
 - 10.3 Germany
 - 10.3.1 T-Mobile
 - 10.3.2 Vodafone
 - 10.3.3 Telefonica O2
 - 10.3.4 E-Plus
 - 10.4 Japan
 - 10.4.1 NTT DoCoMo
 - 10.4.2 KDDI
 - 10.4.3 Softbank
 - 10.4.4 eMobile
 - 10.5 South Korea

- 10.5.1 SK Telecom
 - 10.5.2 Korea Telecom Freetel
 - 10.5.3 LG Telecom
 - 10.6 Sweden
 - 10.6.1 TeliaSonera
 - 10.6.2 Telenor
 - 10.6.3 Tele2
 - 10.6.4 Hi3G Access
 - 10.7 United Kingdom
 - 10.7.1 Vodafone
 - 10.7.2 O2
 - 10.7.3 T-Mobile
 - 10.7.4 Orange
 - 10.7.5 3
 - 10.8 USA
 - 10.8.1 AT&T Mobility
 - 10.8.2 Verizon Wireless
 - 10.8.3 Sprint-Nextel
 - 10.8.4 T-Mobile USA
 - 10.9 Conclusion
 - 10.9.1 CDMA2000 operators leading the charge
 - 10.9.2 UMTS operators will follow
 - 10.9.3 Mobile WiMAX Prospects
 - 10.9.4 China Mobile
- 11 LTE Market Forecast
 - 11.1 Mobile Network Infrastructre
 - 11.1.1 NTT DoCoMo's LTE network
 - 11.1.2 China Mobile's LTE network
 - 11.1.3 Ericsson
 - 11.1.4 NSN
 - 11.1.5 Alcatel-Lucent
 - 11.1.6 Huawei
 - 11.1.7 Nortel
 - 11.1.8 Motorola
 - 11.1.9 Samsung
 - 11.1.10 ZTE
 - 11.1.11 Datang
 - 11.1.12 Fujitsu
 - 11.1.13 NEC
 - 11.1.14 Cisco
 - 11.2 Mobile Devices
 - 11.2.1 Nokia
 - 11.2.2 Samsung
 - 11.2.3 Motorola
 - 11.2.4 LG
 - 11.2.5 Sony Ericsson
 - 11.2.6 ZTE
 - 11.2.7 RIM
 - 11.2.8 Apple
 - 11.2.9 HTC
 - 11.2.10 Japanese Handset Vendors
 - 11.3 Subscriber Numbers
- 12 Conclusions
 - 12.1 Competition
 - 12.2 Technology

- 12.3 Backwards compatibility
- 12.4 LTE and Spectrum
- 12.5 CDMA operators
- 12.6 UMTS operators
- 12.7 MIMO
- 12.8 Regional Adoption